

Morse, Bob

From: Griffiths, Rachel
Sent: Thursday, September 22, 2016 4:41 PM
To: Morse, Bob; Olsen, Marian; Pensak, Mindy; Lopez, Sergio
Cc: Pocze, Doug; Metz, Chloe
Subject: RE: Griffiss Basewide PFC SI Work Plan Response to Comments and Work Plan Revisions

Bob,

The response to comments that pertain to me are acceptable. The edits to the corresponding sections of the document are also fine, but I noticed the table in QAPP #20 (pg 34) some of the total sample numbers in the last row appear to be miscalculated (*Grand Total: Regular samples should be 236, Field Blanks should be 9*). I didn't look to see if this was repeated elsewhere.

Otherwise, looks good from my end.

Best,
Rachel

Rachel E. Griffiths
Hydrogeologist
U.S. EPA Region 2
290 Broadway, 18th Floor
NY, NY 10007 | 212-637-3877
Griffiths.Rachel@epa.gov

-----Original Message-----

From: Morse, Bob
Sent: Tuesday, September 20, 2016 5:13 PM
To: Griffiths, Rachel <griffiths.rachel@epa.gov>; Olsen, Marian <Olsen.Marian@epa.gov>; Pensak, Mindy <Pensak.Mindy@epa.gov>; Lopez, Sergio <Lopez.Sergio@epa.gov>
Cc: Pocze, Doug <Pocze.Doug@epa.gov>; Metz, Chloe <Metz.Chloe@epa.gov>
Subject: FW: Griffiss Basewide PFC SI Work Plan Response to Comments and Work Plan Revisions

All,

Attached and discussed below are the AF's Response to Comments (RTC) to EPA and NY comments, as well as revised text tables and figures, some of which are in reply to NY comments, and may or may not be of interest. A markup of the entire document is also attached.

Mindy in particular may want to look at the surface water / sediment sampling location figures. NY specifically asked for more sampling at the creeks.

Sergio: the AF included a copy of the daily SOP checklist that is being used as part of the cross contamination avoidance procedures (the full cross contamination avoidance procedures are in the project wide QAPP). So you may want to look at that.

I realize it's the end of the year, so you guys have other priorities. If you could try and get me any comments on the RTC by October 14, that would be great. If you need longer so be it, just let me know.

If you have any questions or concerns please let me know. Thank you, and sorry for this.

Bob

-----Original Message-----

From: FARNSWORTH, DAVID S GS-13 USAF HAF AFCEC/CIBE [mailto:david.farnsworth@us.af.mil]

Sent: Monday, September 19, 2016 3:26 PM

To: Morse, Bob <Morse.Bob@epa.gov>; Bishop, Heather L (DEC) <heather.bishop@dec.ny.gov>

(heather.bishop@dec.ny.gov) <heather.bishop@dec.ny.gov>

Cc: Kulow, Kristin (HEALTH) (kristin.kulow@health.ny.gov) <kristin.kulow@health.ny.gov>; 'Brad Juneau'

<Brad.Juneau@cn-bus.com>; ELDREDGE, SEAN D CTR USAF AFMC AFCEC/CIB <sean.eldredge.ctr@us.af.mil>;

sdeldredge@gmail.com; CLAXTON, BILLY W GS-13 USAF HAF AFCEC/CIBE <billy.claxton@us.af.mil>; Baker, Peter S.

(peter.baker@amecfw.com) <peter.baker@amecfw.com>; Hagelin, Nathan W. (nathan.hagelin@amecfw.com)

<nathan.hagelin@amecfw.com>; Rand, John (john.rand@amecfw.com) <john.rand@amecfw.com>; Tiffany L. McIntosh

(TiffanyL.McIntosh@cn-bus.com) <TiffanyL.McIntosh@cn-bus.com>; Helton, Melissa C (melissa.helton@amecfw.com)

<melissa.helton@amecfw.com>

Subject: Griffiss Basewide PFC SI Work Plan Response to Comments and Work Plan Revisions

Bob/Heather,

Attached for your review are the Air Force response to the USEPA and NYS

(DEC/DOH) comments to the Griffiss Draft Basewide PFC Work Plan. Also attached are revised figures showing the additional sampling at the Three and Six Mile Creeks, and the revisions to the text and tables. I have included a copy of the daily SOP checklist that is being used as part of the cross contamination avoidance procedures, the full cross contamination avoidance procedures are in the project wide QAPP.

I was not planning on emailing a clean pdf version of the Pre-Final Work Plan due to the File size; let me know ASAP if you need that and we will make arrangements. The Project-wide QAPP revisions are the same as were provided for the Plattsburgh Work Plan; I was not going to resend it either but can resend it if necessary.

Let us know ASAP if the EPA and NYS are ok with the responses/proposed revisions, or you have questions on any of the responses/revisions.

Thanks,

Dave

//Signed//

David S. Farnsworth, GS-13, DAF

Program Manager/BRAC Environmental Coordinator BRAC Program Support Branch Air Force Civil Engineer Center
(AFCEC/CIBE-Plattsburgh)

8 Colorado Street, Suite 121

Plattsburgh NY, 12903

(518) 563-2871

david.farnsworth@us.af.mil